WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Friday, September 16, 2005

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
☐	L29	L28 and "peer-to-peer network"	10
☐	L28	ibm.asn.	47415
☐	L27	L2 and "hash"	2
☐	L26	L2 and "RSA"	1
☐	L25	L22 and "RSA"	9
☐	L24	L22 and "data files"	6
☐	L23	L22 and "session key"	2
☐	L22	"peer-to-peer network" and "chat session"	44
☐	L21	"peer-to-peer network" same "chat session"	5
☐	L20	L17 and "peer-to-peer network"	3
☐	L19	L15 and "peer-to-peer network"	30
☐	L18	L14 and "peer-to-peer network"	60
☐	L17	380/277.ccls.	901
☐	L16	380/278.ccls.	345
☐	L15	709/225.ccls.	1977
☐	L14	709/224.ccls.	4217
☐	L13	713/156.ccls.	553
☐	L12	713/175.ccls.	238
☐	L11	713/171.ccls.	463
☐	L10	L9 and L7	20
☐	L9	sun microsystems.asn.	232174
☐	L8	L7 and L6	1
☐	L7	yeager.in. and william.in.	178
☐	L6	pabla.in. and kuldip.in.	2
☐	L5	"peer-to-peer network" and "public key" and "session key"	20
		DB=USPT; PLUR=YES; OP=OR	
☐	L4	L2 and "session key"	0
☐	L3	L2 and "session"	8
☐	L2	"peer-to-peer network" and "public key"	16
☐	L1	"peer-to-peer network" and "public key" and "session key"	0

END OF SEARCH HISTORY

Google™

session key, public key, chat session, RSA "pe   [Search]   Advanced Search
Preferences

Web Results 1 - 10 of about 482 for <u>session key, public key, chat session</u>, RSA "<u>peer-to-peer network</u>". (0

[PDF] **Session 3075_ Jxta Security**
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Session 3075. 22. Certificate Based Public. Key Infrastructures. **Public Key**
Certificate is a data **...** Generate a **public key** pair using either. **RSA** or DSA **...**
www.jxta.org/JavaOne/JavaOne2002/JXTAp2pSecurity.pdf - <u>Similar pages</u>

[PDF] **Project JXTA 2.0 Super-Peer Virtual Network**
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
bit **public** keys used to verify the **RSA** private **key** signatures of peer X509. **...**
and negociation of a **session. key** to encrypt messages. 9.8 Message **...**
www.jxta.org/project/www/docs/JXTA2.0protocols1.pdf - <u>Similar pages</u>

[PPT] **www.ics.uci.edu/~taylor/p2p/Bolcer.ppt**
File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
Index on one **session**, results point to live **session**. Document Metadata **...**
Magi **Public Key** Infrastructure. **RSA** keys, X509 certificates, X509 CRLs **...**
<u>Similar pages</u>

[PDF] **P2P Search Collaboration Securi**
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Index on one **session**, results point to live **session**. • Document Metadata **...**
Magi **Public Key** Infrastructure. – **RSA** keys, X509 certificates, X509 CRLs **...**
www.ics.uci.edu/~taylor/p2p/Bolcer.pdf - <u>Similar pages</u>

what is waste
... Group **chat** – text messages are broadcasted on the WASTE **...** **RSA** (with 1024 bit or greater
public key sizes) for exchange of 56 byte Blowfish **session** keys, and 8 **...**
www.eng.uc.edu/~dmccartn/waste.html - 46k - Supplemental Result - <u>Cached</u> - <u>Similar pages</u>

Network Working Group F. Strauss Internet-Draft S. Schmidt Expires ...
The Architecture 2.1 The **Peer-to-Peer Network** Each node within the **chat** network
... Its the duty of the sender of a "**key**" message to ensure that the **public ...**
www.ibr.cs.tu-bs.de/lehre/ss03/ pvs/p2p-**chat**/draft-strauss-p2p-**chat**-03.txt - 45k - <u>Cached</u> - <u>Similar pages</u>

Network Working Group F. Strauss Internet-Draft S. Schmidt Expires ...
This OBSCURE message is then again encrypted with the **public key** of the last **...**
are allowed to retrieve the **session key** through a GETKEY/KEY message pair. **...**
www.ibr.cs.tu-bs.de/lehre/ ss04/pvs/draft-strauss-p2p-**chat**-05.txt - 50k - <u>Cached</u> - <u>Similar pages</u>

[GNUnet-SVN] r1416 - GNUnet-docs/WWW
... works by having each peer sign a secret **session key** with its **RSA**
key."); W("Furthermore, the **session key** is encrypted with the **public key** of the other **...**
lists.gnu.org/archive/html/ gnunet-svn/2005-07/msg00237.html - 48k - <u>Cached</u> - <u>Similar pages</u>

Paper: Project Angelo :: sdesai
In that case the other peers could initiate another **chat session**. **...** During these
transactions the peer obtains the **public key** of the PGM. **...**
computing.breinestorm.net/ peer+protocol+jxta+server+peers/ - 39k - <u>Cached</u> - <u>Similar pages</u>

what is waste?
... Group **chat** - text messages are broadcasted on the WASTE ... **RSA** (with 1024 bit or greater **public key** sizes) for exchange of 56 byte Blowfish **session** keys, and ...
flatrabbit.com/stuff/waste/what.html - 19k - Supplemental Result - Cached - Similar pages

Goooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Google Desktop Search   ⊘ - ◈ ⊘ 9:30 AM
Free! Instantly find your email, files, media and web history. Download now.

session key, public key, chat session   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - Hurricane Katrina Resources - About Google

©2005 Google